














Part #	Description of Part	Photo / Drawing
MXT	<p>Module<sup>X</sup> Main Terminal Board</p> <ul style="list-style-type: none"> <li>ARM M7 Processor</li> <li>Temperature Range: -40° F to 185° F</li> <li>ROHS Compliant</li> </ul>	 <p>Availability: Immediate - 4 weeks</p>
MXL	<p>Module<sup>X</sup> Linux Computation Board</p> <ul style="list-style-type: none"> <li>ARM A7 Processor</li> <li>Two Ethernet Ports</li> <li>One USB Port</li> <li>One <math>\mu</math>SD Memory Card Holder</li> <li>ROHS Compliant</li> </ul>	 <p>Availability: Immediate - 4 weeks</p>
MXD	<p>Module<sup>X</sup> Display Board</p> <ul style="list-style-type: none"> <li>ROHS Compliant</li> </ul>	 <p>Availability: Immediate - 4 weeks</p>
MXP-F	<p>Module<sup>X</sup> Peripheral Module - Frequency / Digital Input</p> <ul style="list-style-type: none"> <li>ARM M3 Processor - I2C / SPI</li> <li>Four Input Channels Frequency or Digital</li> <li>ROHS Compliant</li> </ul>	 <p>Availability: Immediate - 4 weeks</p>
MXP-DO	<p>Module<sup>X</sup> Peripheral Module - Digital Output</p> <ul style="list-style-type: none"> <li>ARM M3 Processor - I2C / SPI</li> <li>Four Output Channels: 2 x Frequency and 2 x Digital</li> <li>ROHS Compliant</li> </ul>	 <p>Availability: Immediate - 4 weeks</p>

Part #	Description of Part	Photo / Drawing
MXP-AI	<p>Module<sup>X</sup> Peripheral Module - Analog Input Board</p> <ul style="list-style-type: none"> <li>ARM M3 Processor - I2C / SPI</li> <li>Four Analog Input Channels - <b>22 Bit Resolution</b></li> <li>ROHS Compliant</li> </ul>	 <p>Availability: Immediate - 4 weeks</p>
MXP-AO	<p>Module<sup>X</sup> Peripheral Module - Analog Output Board</p> <ul style="list-style-type: none"> <li>ARM A3 Processor - I2C / SPI</li> <li>Four Analog Output Channels - <b>16 Bit Resolution</b></li> <li>ROHS Compliant</li> </ul>	 <p>Availability: Immediate - 4 weeks</p>
MXP-215	<p>Module<sup>X</sup> Peripheral Module - Rosemount 215 MVS Board</p> <ul style="list-style-type: none"> <li>ARM A3 Processor - I2C / SPI</li> <li>One 2-wire RS-485 Serial Communications Port</li> <li>ROHS Compliant</li> </ul>	 <p>Availability: Immediate - 4 weeks</p>
MXP-C	<p>Module<sup>X</sup> Peripheral Module - Communications Module</p> <ul style="list-style-type: none"> <li>ARM M3 Processor - I2C / SPI</li> <li>One RS-232 Serial Communications Port</li> <li>One RS-485 Serial Communications Port</li> <li>One 2-wire CANBUS Communications Port</li> <li>ROHS Compliant</li> </ul>	 <p>Availability: 12- 20 weeks</p>
MX-UHG	<p>Module<sup>X</sup> Upper Housing - Grey</p>	 <p>Availability: Immediate</p>

Part #	Description of Part	Photo / Drawing
MX-LHB	Module <sup>X</sup> Lower Housing Base - Black	 <p data-bbox="1154 583 1503 615">Availability: Immediate - 4 weeks</p>
MX-HCG	Module <sup>X</sup> Housing Cover - Grey	 <p data-bbox="1154 940 1503 972">Availability: Immediate - 4 weeks</p>
MX-8TBC/L	Module <sup>X</sup> 8 Pin Locking Terminal Block Connector	 <p data-bbox="1203 1276 1455 1308">Availability: Immediate</p>